Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085

Crop Report for the Period July 6 to 12, 2010

Report number 15, July 15, 2010

Saskatchewan producers have 16 per cent of the 2010 hay crop cut and 10 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

The hay crop quality is rated as 31 per cent excellent and 49 per cent good. Haying has progressed furthest in the south, where 22 per cent of the crop has been cut. Rain is slowing progress, and thunderstorms continue to move across the province.

Cropland topsoil moisture is rated as 38 per cent surplus, 60 per cent adequate and two per cent short. Topsoil moisture on hay land and pasture is rated as 23 per cent surplus, 75 per cent adequate and two per cent short.

Some warmer weather has helped advance crops; however, most are still one to two weeks behind normal in development. Sixty-two per cent of the province's fall-seeded cereals are at a normal stage of development, but 67 per cent of the spring-seeded cereals, 66 per cent of the oilseeds and 58 per cent of the pulses are behind normal in development.

Eighty-two per cent of the winter wheat, 87 per cent of the fall rye and 91 per cent of the triticale are in good to excellent condition. Seventy-nine per cent of the spring wheat, 82 per cent of the durum, 78 per cent of the oats, barley and flax, 73 per cent of the canola, 83 per cent of the mustard, 76 per cent of the lentils, 77 per cent of the peas, 77 per cent of the canaryseed and 89 per cent of the chickpeas are in good to fair condition.

The majority of crop damage is caused by flooding, hail and wind. Leaf diseases, root rot and gophers are also causing damage. Grasshoppers are causing crop damage in areas in the south.

Farmers are busy haying, scouting fields and trying to control crop disease. Rain and wet fields continue to make field operations difficult.

One year ago
Significant rainfall improved topsoil moisture conditions. Crop development was behind normal. Twelve per cent of the provincial hay crop was cut.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The region received varying amounts of precipitation over the past week. The Kisbey, Maryfield, Moosomin and Vibank areas avoided the moisture, while the Stoughton area received 63 mm, the Kennedy area 55 mm, the Weyburn area 68 mm, the Moose Jaw area 20 mm and the Ceylon area 29 mm.

SE SK Crop Development – July 12, 2010			
	%Ahead	%Normal	%Behind
Fall Cereals	3	85	12
Spring Cereals	1	45	54
Oilseeds	0	40	60
Pulse Crops	1	53	46

Topsoil moisture conditions on cropland are reported as 38 per cent surplus, 60 per cent adequate and two per cent short. On hay land and pasture, topsoil moisture is rated as 26 per cent surplus, 73 per cent adequate and one per cent short. Crop District 2B is reporting 53 per cent surplus and 47 per cent adequate topsoil moisture on cropland.

Crop damage is mostly attributed to flooding, hail and wind. Hail was reported in the Kisbey, Weyburn and Pangman areas. Ascochtya blight and leaf diseases are causing damage as well.

Haying is continuing, and 22 per cent of the region's crop is cut. Eleven per cent is baled or put into silage. The majority of the hay crop is rated as good to excellent quality, and yields look good. Rain throughout the area has slowed some producers. The swaths have been slow to dry due to high humidity, wet ground and rain. High winds in some areas moved hay swaths around.

Warm and sunny weather is needed to speed crop development and to get the hay crop up in good condition. Farmers are busy controlling weeds in chem-fallow and applying fungicides. Crop staging varies across the region. Areas in CD 3ASE could use a little rain after missing many of the rain showers. Crops are at a critical stage when moisture would be beneficial.

Farmers are busy cutting hay, scouting crops and controlling weeds and diseases. Crop reporters are indicating that crops look pretty good where there is drainage.

Southeastern SK Crop conditions- July 12, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	38	55	11	15	11	10	9
% good	48	31	44	47	44	46	42
% fair	13	14	30	27	30	29	32
% poor	1	0	11	7	11	11	12
% very poor	0	0	4	4	4	4	5
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	11	12	13	14	6	3	
% good	38	50	45	40	45	48	
% fair	34	27	28	28	28	30	
% poor	11	7	9	13	15	11	
% very poor	6	4	5	5	6	8	

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

SW SK Crop Development – July 12, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	59	41
Spring Cereals	0	31	69
Oilseeds	0	29	71
Pulse Crops	0	36	64

The region received varying amounts of precipitation over the past week. Most areas recorded less than 10 mm of rain; however, there were areas that received thunderstorms. The Viceroy area received 20 mm of rain, the Coderre area 32 mm, the Vanguard area 7 mm, the Stewart Valley area 27 mm, the Leader and Fox Valley areas 12 mm and the Maple Creek area 10 mm.

Cropland topsoil moisture is rated as 16 per cent surplus, 75 per cent adequate, eight per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are seven per cent surplus, 87 per cent adequate, four per cent short and two per cent very short.

Crop damage has been caused by flooding, hail and grasshoppers. Hail was reported in the Viceroy, Ponteix, Cadillac, Glenbain, Eastend and Shaunavon areas. Hail damage was evident on some crops and hay fields in the Viceroy area. Gophers, ascochyta blight and root rot are also causing crop damage. Grasshoppers damage in CD 3BN is noticeable on the late-seeded crops.

The region has 22 per cent of the hay cut and 17 per cent baled or put into silage. Quality is predicted to be good to excellent, provided the rain does not cause quality damage. Farmers are expecting good hay yields. Hay is slow to dry due to high humidity, heavy swaths and rain showers.

Farmers are busy scouting fields and controlling weeds, diseases and grasshoppers. Crop staging varies from field to field. One reporter commented that some farmers were seeding for 30 or more days due to rain interruptions, which will make for a long harvest season. Mustard and canola are flowering and some fields are in the podding

stage. Cereals are starting to head. Areas in CD 3BS could use some rain. The recent heat and wind has dried the soil, and shallow-rooted crops need a bit of moisture at this important stage of development. Some areas have received no significant rainfall since June 17. Within RMs, rainfall varies from nil to 50 mm. Early-seeded crops look in better condition than the later-seeded crops.

Southwestern SK Crop conditions- July 12, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	33	29	17	13	20	14	9
% good	51	64	61	59	61	66	46
% fair	16	7	21	26	19	17	36
% poor	0	0	1	2	0	3	9
% very poor	0	0	0	0	0	0	0
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	19	20	19	12	8	8	
% good	58	57	58	55	57	59	
% fair	23	23	22	25	30	33	
% poor	0	0	1	8	5	0	
% very poor	0	0	0	0	0	0	

East-Central Saskatchewan (Crop Districts 5 and 6a)

EC SK Crop Development – July 12, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	1	50	49
Spring Cereals	0	19	81
Oilseeds	0	23	77
Pulse Crops	2	36	62

Rain continues to fall on the region, although in lesser amounts than in previous weeks. During the past week, the region received precipitation varying from nil to 33 mm. Most areas in the region recorded more than 15 mm of rain. The Stockholm area received 20 mm of rain, the Foam Lake area received 33 mm, the Kuroki area 22 mm, the Bradwell area 32 mm, the Holdfast area 24 mm and the Kenaston area 11 mm. Since April 1, between 202 mm and 586 mm of rain has fallen on the region.

Topsoil moisture remains relatively unchanged from last week. Topsoil moisture on cropland is reported as 67 per cent surplus and 33 per cent adequate. Hay land and pasture topsoil moisture is rated as 51 per cent surplus and 49 per cent adequate.

Flooding continues to cause the majority of crop damage. Hail was reported in the Ituna, Foam Lake, Rama and Meacham areas. Leaf diseases, ascochyta blight and anthracnose are also causing crop damage.

Haying is underway, with 10 per cent of the crop cut and five per cent baled or put into silage. Quality is reported as good, depending on flooding and the amount of rain on the swaths. Heavy swaths are slow to dry due to high humidity and rain.

In some areas that received little rain last week, farmers were able to get back onto the land. Canola crops are thin and fields continue to yellow from excess moisture. Aerial spraying is continuing in areas that are too wet for ground-based application. There were reports of some farmers spraying out entire fields due to high weed pressure. In CD 6A, fields tend to be not as wet and farmers are busy controlling weeds and diseases. Crops vary in staging. Canola, peas and lentils are blooming, and some cereals are starting to head.

East-central SK Crop conditions- July 12, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	25	34	5	16	4	4	3
% good	52	42	44	65	45	43	54
% fair	13	13	32	16	28	32	31
% poor	9	10	17	3	23	17	12
% very poor	1	1	2	0	0	4	0
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	4	6	15	19	9	14	
% good	38	69	56	57	45	75	
% fair	34	19	22	17	22	11	
% poor	20	4	7	4	8	0	
% very poor	4	2	0	2	16	0	

West-Central Saskatchewan (Crop Districts 6B and 7)

Most of the region received between 3 mm and 41 mm of rain during the past week. The Elbow and Eston areas received 41 mm, the Sonningdale area received 5 mm, the Biggar area 5 mm, the Unity area 28 mm and the Luseland area 12 mm.

WC SK Crop Development – July 12, 2010			
	%Ahead	%Normal	%Behind
Fall Cereals	0	57	43
Spring Cereals	0	28	72
Oilseeds	0	29	71
Pulse Crops	0	38	62

Cropland topsoil moisture is rated as 30 per cent surplus, 69 per cent adequate and one per cent short. Hay land and pasture topsoil moisture conditions are rated as 24 per cent surplus, 75 per cent adequate and one per cent short.

The majority of crop damage is due to flooding and hail. Areas that received hail include Harris, Herschel, Kerrobert, Luseland, Scott, Battleford and Unity. Leaf diseases, ascochyta blight, anthracnose, tan spot and net blotch are showing up in crops.

Haying continues, with 16 per cent of the crop cut and seven per cent baled or put into silage. Quality is rated as good to excellent. Some producers are concerned about

getting the hay crop put up in good condition. The hay is slow to dry due to rain, heavy swaths and high humidity. Haying has not really started in some areas due to the unsettled weather. Heat and sun are needed.

Crops have progressed fairly nicely in the past few weeks. Wet areas are still causing some disease and weed control problems. Farmers are busy controlling weeds in chem-fallow. Haying continues between the rains, and some producers are having to turn swaths to speed drying. Crops are looking pretty good, although they are one to two weeks behind normal in development. Lentils and canola are blooming, and cereals are catching up in development.

West-central SK Crop conditions- July 12, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	10	7	9	15	3	7	1
% good	81	79	68	64	60	66	64
% fair	9	14	21	19	34	25	31
% poor	0	0	2	2	3	2	4
% very poor	0	0	0	0	0	0	0
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	7	8	16	18	11	8	
% good	60	76	70	60	70	66	
% fair	26	14	13	20	16	21	
% poor	7	2	1	1	2	4	
% very poor	0	0	0	1	1	1	

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Rain was reported in the region last week, although in lesser amounts compared to previous weeks. Rainfall varied from 3 to 19 mm. The Porcupine Plain, Codette, Vonda and Prince Albert areas received 3 mm. The Tisdale area received 12 mm, the Melfort area 19 mm and the Nipawin area 5 mm.

NE SK Crop Development – July 12, 2010			
	%Ahead	%Normal	%Behind
Fall Cereals	0	64	36
Spring Cereals	0	30	70
Oilseeds	0	35	65
Pulse Crops	N/A	N/A	N/A

Cropland topsoil moisture is rated as 57 per cent surplus and 43 per cent adequate. Hay land and pasture topsoil moisture is rated as 30 per cent surplus and 70 per cent adequate.

Crop damage is due to flooding. Hail was reported in the Arborfield area. Wheat midge have been reported in the Arborfield and Star City areas, and farmers are taking steps to control them. Tan spot, root rot and ascochyta blight were also reported.

Haying is underway, with 11 per cent of the crop cut and six per cent baled or put into silage. Quality is rated as good to excellent. Producers are concerned about how much hay will be cut and put up in good condition if the rain continues.

Crops are patchy and continue to suffer from excess moisture (yellowing). Some crops have been sprayed out – where sprayers can get onto the land – as weed pressures have become too great or growth/emergence is too poor. Farmers are busy controlling diseases. Where the fields are able to support equipment, cultivators are being used to smooth ruts in the field. A week with little rain has improved some crop conditions. Canola and peas are flowering; cereals are in the flag leaf to heading stages. Field work continues to be a challenge.

North-eastern SK Crop conditions- July 12, 2010						
	winter wheat	fall rye	spring wheat	oats	barley	flax
% excellent	13	38	3	1	0	0
% good	46	31	49	34	31	10
% fair	39	30	31	46	44	55
% poor	1	1	14	17	23	28
% very poor	1	0	3	2	2	7
	canola	mustard	peas	lentils	canaryseed	
% excellent	6	0	1	0	0	
% good	38	40	39	35	15	
% fair	29	35	34	32	62	
% poor	25	20	21	32	21	
% very poor	2	5	5	1	2	

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The region received between trace amounts and 55 mm of rain during the past week. The Leask area received 22 mm of rain, the Frenchman Butte area 49 mm, the Glaslyn area 55 mm, the Pierceland and Radisson areas received 4 mm and the Lloydminster area 21 mm.

NW SK Crop Development – July 12, 2010			
	%Ahead	%Normal	%Behind
Fall Cereals	0	72	28
Spring Cereals	1	56	43
Oilseeds	0	59	41
Pulse Crops	0	68	32

Topsoil moisture conditions for cropland are four per cent surplus, 92 per cent adequate and four per cent short. Pasture and hay land conditions are 97 per cent adequate and three per cent short.

Most of the reported crop damage has been attributed to hail. Hail was reported in the Hafford, Medstead and Turtleford area. Flooding is also causing crop damage in some areas.

Haying is underway, with 10 per cent of the crop cut and four per cent baled or put into silage. Quality is predicted to be good to excellent; yields look good. Quality will be uncertain until more is baled. Pastures are looking good.

Farmers are busy scouting fields and controlling weeds and diseases. Crops look pretty good for the most part, except in low areas where they were flooded out or stressed from moisture. Crops are at varying stages of development. Some crops are blooming. A few areas that are reporting dry conditions, although not to the point of causing crop stress. Canola crops seem to be showing more signs of stress than other crops. An intense thunderstorm in the Glaslyn and Frenchman Butte areas resulted in a 12-hour power outage.

North-western SK Crop conditions- July 12, 2010					
	winter wheat	fall rye	spring wheat	oats	barley
% excellent	N/A	0	22	19	23
% good	N/A	93	63	66	64
% fair	N/A	7	13	14	13
% poor	N/A	0	1	1	0
% very poor	N/A	0	1	0	0
	flax	canola	peas	lentils	
% excellent	0	23	26	0	
% good	90	59	67	94	
% fair	10	13	6	6	
% poor	0	5	1	0	
% very poor	0	0	0	0	

SK (provincial) Crop conditions- July 12, 2010							
	winter wheat	fall rye	spring wheat	durum	oats	barley	flax
% excellent	30	31	10	14	8	8	6
% good	52	57	55	57	49	50	45
% fair	14	10	25	25	29	28	34
% poor	4	2	8	3	13	12	12
% very poor	0	0	2	1	1	2	3
	canola	mustard	peas	lentils	canaryseed	chickpeas	
% excellent	9	13	17	15	7	8	
% good	44	62	58	53	50	57	
% fair	29	21	20	23	27	32	
% poor	15	3	4	7	10	2	
% very poor	3	1	1	2	6	1	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 12, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Weekly Rainfall

for the week ending July 12, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 6 to 12, 2010

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	306.0
	2	Mount Pleasant	N/A	259.0
	3	Enniskillen	7	267.0
	33 A	Moose Creek	N/A	249.0
	33 B	Moose Creek	N/A	271.0
	34	Browning	24	257
	61	Antler	N/A	368
	63	Moose Mountain	N/A	280
	64	Brock	NIL	253
	65	Tecumseh	63	324
1B	91	Maryfield	NIL	261
	92	Walpole	1	284
	93	Wawken	55	347
	95	Golden West	20	303
	122	Martin	NIL	380
	123 A	Silverwood	N/A	242
	123 B	Silverwood	N/A	N/A
	124	Kingsley	8	217
	125	Chester	11.3	260
	151 A	Rocanville	25	349
	151 B	Rocanville	1	336
	153	Willowdale	N/A	316
	154	Elcapo	N/A	307
	155	Wolseley	19	374
2A	66	Griffin	N/A	293
	67	Weyburn	68	342
	68	Brokenshell	35	270
	69	Norton	23	313
	96	Fillmore	11	239
	97	Wellington	22	202
2B	127 A	Francis	11.5	276
	127 B	Francis	NIL	187
	129	Bratt's Lake	N/A	172
	156 A	Indian Head	1	343
	156 B	Indian Head	6	318
	157	South Qu'appelle	N/A	NIL
	160	Pense	20	258
	161	Moose Jaw	15	283
	191	Marquis	3	337
3ASE	38 A	Laurier	N/A	252
	38 B	Laurier	39	254
	39 A	The Gap	6	242
	39 B	The Gap	29	346
3ASW	10	Happy Valley	NIL	309
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	5	226
	40	Bengough	5	270
	42	Willow Bunch	N/A	295
	43	Old Post	NIL	216
	44	Waverley	NIL	231
	70	Key West	N/A	239
	71 A	Excel	20	277
	71 B	Excel	N/A	223
	73 A	Stonehenge	2.8	267
	73 B	Stonehenge	N/A	341
	74	Wood River	NIL	180
3AN	101	Terrell	8	324
	102	Lake Johnston	3.8	232
	103	Sutton	NIL	263
	134	Shamrock	32	331
	164	Chaplin	9	300
	193	Eyebrow	12	312
	194	Enfield	N/A	331
3BS	17	Val Marie	N/A	243
	45	Mankota	NIL	220
	75 A	Pinto Creek	3	228
	75 B	Pinto Creek	NIL	225
	76 A	Auvergne	3	183
	76 B	Auvergne	4	186
	77	Wise Creek	4	185
	78 A	Grassy Creek	2	271
	78 B	Grassy Creek	NIL	252
	78 C	Grassy Creek	NIL	292
	105	Glenbain	5	204
	106	Whiska Creek	7	155
	107	Lac Pelletier	NIL	223
	108	Bone Creek	5	271
3BN	138	Webb	2	300
	165	Morse	N/A	NIL
	166	Excelsior	17	421
	167	Sask. Landing	26.8	344
	168	Riverside	NIL	317
	226	Victory	30	321
	228	Lacadena	7	302
	255	Coteau	N/A	NIL
	257	Monet	13	272

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	3	260
	49 A	White Valley	4	202
	51	Reno	2	266
	79	Arlington	2	310
	109	Carmichael	N/A	378
	110	Piapot	10	326
	111	Maple Creek	7	343
4B	139	Gull Lake	2	392
	141	Big Stick	11	389
	142	Enterprise	5	383
	169	Pittville	N/A	314
	171	Fox Valley	12	325
	229	Miry Creek	N/A	370
	231	Happyland	12	319
5A	181	Langenberg	NIL	262
	183	Fertile Belt	20	320
	185	Mcleod	6	316
	186	Abernethy	10	267
	211	Churchbridge	NIL	305
	213	Saltcoats	9	306
	216	Tullymet	19	219
	241	Calder	N/A	288
	243	Wallace	3	333
	245 A	Garry	8	360
	245 B	Garry	17	389
	246	Iluna Bon Accord	11	253
	247	Kellross	24	333
	248	Touchwood	12	202
5B	271	Cote	8	250
	275	Insinger	N/A	NIL
	276	Foam Lake	33	477
	277	Emerald	24	415
	278	Kutawa	N/A	NIL
	305	Invermay	18	586
	307	Elfros	23	547
	308	Big Quill	27	353
	333	Clayton	N/A	133
	335	Hazel Dell	3	337
	336	Sasman	22	408
	337	Lakeview	15	358
	338	Lakeside	9	386
	366	Kelvington	6	293
6A	190 A	Dufferin	5	202
	190 B	Dufferin	8	281
	190 C	Dufferin	27	245
	190 D	Dufferin	23	304
	219 A	Longlaketon	12	244
	219 B	Longlaketon	23	266
	220	Mckillop	13	268
	221	Sarnia	24.2	333
	222	Craik	15	328
	251	Big Arm	18	330
	252	Arm River	23	299
	279	Mount Hope	7	300
	280	Wreford	19	308
	282	McCraney	11	357
	309	Prairie Rose	15	379
	313	Lost River	14	292
	339	Leroy	12.6	386
	340	Wolverine	9	397
	341	Viscount	13	372
	343	Blucher	32	379
6B	253	Wilner	41.5	289
	283	Rosedale	36	371
	284	Rudy	11	377
	285	Fertile Valley	11	320
	286	Milden	8	353
	314	Dundurn	23	342
	344	Corman Park	9	395
	346	Perdue	26	411
	376 A	Eagle Creek	8	499
	376 B	Eagle Creek	5	385
7A	260	Newcombe	41	326
	260 B	Newcombe	13	221
	287	St. Andrews	3	259
	288	Pleasant Valley	5	285
	290 A	Kindersley	20	241
	290 B	Kindersley	14	279
	292	Milton	8	246
	317 A	Marriott	40	363
	317 B	Marriott	22	398
	318 A	Mountain View	23	299
	318 B	Mountain View	24	363
	320	Oakdale	7	274
	321	Prairiedale	3	288

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	5	319
	347 B	Biggar	N/A	337
	350 A	Manposa	6	257
	350 B	Manposa	18	248
	351	Progress	12	297
	352	Heart's Hill	10	320
	377	Glenside	6	371
	378 A	Rosemount	12	275
	378 B	Rosemount	6	356
	379	Reford	18	314
	380	Tramping Lake	5	252
	381	Grass Lake	12	362
	382	Eye Hill	22	276
	409	Buffalo	3	407
	410	Round Valley	28	274
	411	Senlac	N/A	280
8A	395	Porcupine	3	319
	397	Barrier Valley	9.3	381
	428	Star City	11	330
	456	Arborfield	8	249
	457	Connaught	12	377
	458	Willow Creek	3	318
	486	Moose Range	5	271
8B	369	St. Peter	5	367
	370	Humboldt	6	451
	371	Bayne	4	399
	372	Grant	3.2	372
	402	Fish Creek	14	329
	429 A	Flett's Springs	19	254
	429 B	Flett's Springs	N/A	348
	430	Invergordon	N/A	43
	459	Kinistino	N/A	291
9AE	461	Prince Albert	3	380
	488	Torch River	N/A	373
	520	Paddockwood	N/A	67
9AW	406	Mayfield	4	283
	435	Redberry	12	383
	436	Douglas	5	191
	463	Duck Lake	2	299
	464	Leask	22	359
	467	Round Hill	N/A	NIL
	494	Canwood	N/A	308
	496	Spiritwood	20	322
	497	Medstead	13	214
9B	438	Battle River	NIL	293
	440	Hillsdale	18	250
	442	Manitou Lake	16.3	256
	498 A	Parkdale	55	294
	498 B	Parkdale	37	258
	499	Mervin	38	219
	501 A	Frenchman Butte	47	212
	501 B	Frenchman Butte	41	244
	501 C	Frenchman Butte	49	250
	502	Britannia	21	272
	561	Loon Lake	31	232
	588 A	Meadow Lake	N/A	263
	588 B	Meadow Lake	N/A	264
	588 C	Meadow Lake	19	299
	588 D	Meadow Lake	N/A	276
	622	Beaver River	4	251

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: July 12, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200
Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Cumulative Rainfall

From: April 1, 2010
To: July 12, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

©2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Cropland Topsoil Moisture Conditions

July 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Hay and Pasture Topsoil Moisture Conditions

July 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Cropland Topsoil Moisture Conditions

July 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13, Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010

Hay and Pasture Topsoil Moisture Conditions

July 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: July 14, 2010